Subject: Re: Approval for Concentration Changes at WHC

From: "Sarah Milton" <<u>smilton@fau.edu</u>>

Sent: 9/16/24, 14:40:52

To: "Julie Earles" < jearles@fau.edu>
CC: "Terje Hill" < terjehill@fau.edu>

Good afternoon - as these courses are listed as available only to Honor's College students, this should not affect the Medical Biology major in my department. I have no objection.

Best,

Dr. Sarah L. Milton Professor and Chair Department of Biological Sciences FAU

From: Julie Earles < jearles@fau.edu>

Sent: Tuesday, September 10, 2024 8:41 AM

To: Sarah Milton <smilton@fau.edu>
Cc: Terje Hill <terjehill@fau.edu>

Subject: Approval for Concentration Changes at WHC

Good Morning Sarah,

I hope you are having a great semester. The WHC plans to make a few changes to our Biology Concentration. Primarily, we are adding electives, and removing courses that are no longer offered. We are also proposing a new concentration in Biomedical Science. I do not expect our plans to -0.2 ()-0.2 (5)()-0.2 βi)-0.2 ()-0.2 (5)-0.2 βi)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)-0.2 (5)